

Certificate: 1636

Sample ID: 2311SMAZ0285.0903
Batch #: 21

Hemp THCa Flower

Batch #: 21
Strain: 29 Northern Lights
Parent Batch #:
Sample Collected: 11/08/2023 08:31:00
Published: 11/13/2023

Sample ID: 2311SMAZ0285.0903
Amount Received: 2.8 g
Sample Type: Flower - Cured
Received: 11/09/2023



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Not Tested	Residual Solvents Not Tested
Pesticides, Fungicides, and Growth Regulators Not Tested	Mycotoxins Not Tested	Heavy Metals Not Tested

19.088%
Total THC

0.043%
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	

ND
CBN

0.089%
CBG

22.252%
Total Cannabinoids (Q3)


Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104



Certificate: 1636

Sample ID: 2311SMAZ0285.0903
Batch #: 21

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/08/2023
SOP: 418.AZ
Batch Number: 325

Sample Analysis

Date: 11/09/2023
SOP: 417.AZ - HPLC
Sample Weight: 0.107 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.120	0.365	1	ND	ND	
CBD	0.120	0.365	1	ND	ND	
CBDA	0.120	0.365	1	0.049	0.493	
CBDV	0.120	0.365	1	ND	ND	
CBG	0.120	0.365	1	0.089	0.892	
CBGA	0.120	0.365	1	0.528	5.276	
CBN	0.120	0.365	1	ND	ND	
d8-THC	0.120	0.365	1	ND	ND	
d9-THC	0.120	0.365	1	0.128	1.277	
THCA	0.120	0.365	1	20.309	203.090	
THCV	0.120	0.365	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	19.088	190.882	
Total CBD	0.043	0.432	
Total Cannabinoids	22.252	222.523	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi


Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Certificate: 1636

Sample ID: 2311SMAZ0285.0903
Batch #: 21

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104